

2019

Aupic-Samain A., Baldy V., Lecareux C., Fernandez C., Santonja M. Tree litter identity and predator density control prey and predator demographic parameters in a Mediterranean litter-based multi-trophic system. *Pedobiologia*, Elsevier, 2019, 73, 1-9. doi: 10.1016/j.pedobi.2019.01.003.

Barbe L., Prinzing A., Mony C., Abbott B.W., **Santonja M.**, Hoeffner K., Guillocheau S., Cluzeau D., Francez A.J., Le Bris N., Jung V. Opposing effects of plant-community assembly maintain constant litter decomposition over grasslands aged from 1 to 25 years. *Ecosystems*, Springer Verlag, 2019, 1-13. doi: 10.1007/s10021-019-00392-8.

Caputi L., Carradec Q., Eveillard D., Kirilovsky A., Pelletier E., Karlusich J.J.P., Vieira F.R.J., Villar E., Chaffron S., Malviya S., Scalco E., Acinas S.G., Alberti A., Aury J.M., Benoiston A.S., Bertrand A., Biard T., Bittner L., Boccara M., Brum J.R., Brunet C., Bussen G., Carratala A., Claustre H., Coelho L.P., Colin S., D'Aniello S., Da Silva C., Del Core M., Dore H., Gasparini S., Kokoszka F., Jamet J.L., **Lejeune C.**, Lepoivre C., Lescot M., Lima-Mendez G., Lombard F., Lukes J., Maillat N., Madoui M.A., Martinez E., Mazzocchi M.G., Neou M.B., Paz-Yepes J., Poulain J., Ramondenc S., Romagnan J.B., Roux S., Manta D.S., Sanges R., Speich S., Sprovieri M., Sunagawa S., Taillandier V., Tanaka A., Tirichine L., Trottier C., Uitz J., Veluchamy A., Vesela J., Vincent F., Yau S., Kandels-Lewis S., Searson S., Dimier C., Picheral M., Bork P., Boss E., De Vargas C., Follows M.J., Grimsley N., Guidi L., Hingamp P., Karsenti E., Sordino P., Stemmann L., Sullivan M.B., Tagliabue A., Zingone A., Garczarek L., d'Ortenzio F., Testor P., Not F., d'Alcala M.R., Wincker P., Bowler C., Iudicone D., Gorsky G., Jaillon O., Karp-Boss L., Krzic U., Ogata H., Pesant S., Raes J., Reynaud E.G., Sardet C., Sieracki M., Velayoudon D., Weissenbach J. Community-Level Responses to Iron Availability in Open Ocean Plankton Ecosystems. *Global Biogeochemical Cycles*, 33 (3): 391-419. doi: 10.1029/2018GB006022.

García-Bonilla E., Brandão P., **Perez T.**, Junca H. Stable and Enriched *Cenarchaeum symbiosum* and Uncultured Betaproteobacteria HF1 in the Microbiome of the Mediterranean Sponge *Haliclona fulva* (Demospongiae: Haplosclerida). *Microbial Ecology*, Springer Verlag, 2019, 77 (1), 25-36. doi: 10.1007/s00248-018-1201-5.

Gavinet J., Santonja M., Baldy V., Hashoum H., Peano S., Tchong T., Gros R., Greff S., Fernandez C., Bousquet-Mélou A. Phenolics of the understory shrub *Cotinus coggygria* as driver of Mediterranean oak forests diversity and dynamics. *Forest Ecology and Management*, Elsevier, 2019, 441, 262-270. doi: 10.1016/j.foreco.2019.03.049.

Gaubert J., **Greff S.**, Thomas O.P., Payri C. Metabolomic variability of four macroalgal species of the genus *Lobophora* using diverse approaches. *Phytochemistry*, Elsevier, 2019, 162, 165-172. doi: 10.1016/j.phytochem.2019.03.002.

Godefroy N., Le Goff E., Martinand-Mari C., Belkhir K., **Vacelet J.**, Baghdiguian S. Sponge digestive system diversity and evolution: filter feeding to carnivory. *Cell and Tissue Research*, 2019, 1-11 doi: 10.1007/s00441-019-03032-8.

Hoeffner K., **Santonja M.**, Cluzeau D., Monard C. Epi-anecic earthworms rather than strict-anecic earthworms enhance soil enzymatic activities. *Soil Biology and Biochemistry*, Elsevier, 2019, 132, 93-100. doi: 10.1016/j.soilbio.2019.02.001.

Hoeffner K., Monard C., Cluzeau D., **Santonja M.** Response of temperate anecic earthworm individual biomass to species interactions. *Applied Soil Ecology*, Elsevier, 2019, 144, 8-11. doi: 10.1016/j.apsoil.2019.06.017

Jaworski C., Xiao D., Xu Q., Ramirez-Romero R., Guo X., Wang S., Desneux N. Varying the spatial arrangement of synthetic herbivore-induced plant volatiles and companion plants to improve conservation biological control. *Journal of Applied Ecology*, Wiley, 2019, 56(5), 1176-1188. doi:10.1111/1365-2664.13353.

Jiao Z., **Jaworski C.**, Lu Y., Ye L., Wu K., Desneux N. Maize fields are a potential sink for an outbreaking mirid bug pest in Chinese Bt-cotton agricultural landscapes. *Agriculture, Ecosystems and Environment*, Elsevier Masson, 279, 122-129. doi:10.1016/j.agee.2019.04.010.

Klinger C., Żółtowska-Aksamitowska S., Wysokowski M., Tsurkan M., Galli R., Petrenko I., Machałowski T., **Ereskovsky A.**, Martinović R., Muzychka L., Smolii O., Bechmann N., Ivanenko V., Schupp P., Jesionowski T., Giovine M., Joseph Y., Bornstein S., Voronkina A., Ehrlich H. Express Method for Isolation of Ready-to-Use 3D Chitin Scaffolds from *Aplysina archeri* (Aplysineidae: Verongiida) Demosponge. *Marine drugs*, MDPI, 2019, 17 (2), 1-24/131. doi: 10.3390/md17020131.

Miguel-Gordo M., Gegunde S., Calabro K., Jennings L.K., Alfonso A., Genta-Jouve G., **Vacelet J.**, Botana L.M., Thomas O.P. Bromotryptamine and Bromotyramine Derivatives from the Tropical Southwestern Pacific Sponge *Narrabeena nigra*. *Marine Drugs*, 2019, 17(6), 319. doi: 10.3390/md17060319

Morrow C., Cárdenas P., **Boury-Esnault N.**, Picton B., McCormack G., et al.. Integrating morphological and molecular taxonomy with the revised concept of Stelligeridae (Porifera: Demospongiae). *Zoological Journal of the Linnean Society, Linnean Society of London*, 2019, 187 (1), 31-81. doi: 10.1093/zoolinnean/ziz017.

Oficialdegui F., Clavero M., Sánchez M., Green A., Boyero L., Michot T.C., Klose K., Kawai T., **Lejeune C.** Unravelling the global invasion routes of a worldwide invader, the red swamp crayfish (*Procambarus clarkii*). *Freshwater Biology*, Wiley, 2019 xxx, xxxx. doi: 10.1111/fwb.13312

Patru-Stupariu I., Calota A.M., **Santonja M.**, Anastasiu P., Stoicescu I., Stupariu M.S., Buttler A. Do wind turbines impact plant community properties in mountain region? *Biologia*, Springer Verlag, 2019, 1-7. doi: 10.2478/s11756-019-00333-9

Pierrot D., Sinou V., **Bun S.S.**, Parzyv D., Taudon N., et al.. Design and synthesis of simplified speciophylline analogues and β -carbolines as active molecules against *Plasmodium falciparum*. *Drug Development Research*, Wiley, 2019, 80 (1), 133-137. doi: 10.1002/ddr.21494

Rodríguez Gámez O., **Laffont-Schwob I.**, Prudent P., Vassalo L., Aguilera Rodríguez I., Pérez Macías R., **Petit M.E.**, Acebal Ibarra A.T., **Masotti V.**, Perraud-Gaime I., Abalos Rodríguez A.. Assessment of water quality from the Blue Lagoon of El Cobre mine in Santiago de Cuba: a preliminary study for water reuse. *Environmental Science and Pollution Research*, Springer Verlag, 2019, 26 (16),16366-16377. doi: 10.1007/s11356-019-05030-3

Romero B., **Fernandez C.**, **Lecareux C.**, **Ormeño E.**, Ganteaume A. How terpene content affects fuel flammability of wildland–urban interface vegetation. *International Journal of Wildland Fire*, CSIRO Publishing, 2019, 28(8), 614-627. doi: 10.1071/WF18210

Rüegg J., Quezada J.C., **Santonja M.**, Ghazoul J., Kuzyakov Y., Buttler A., Guillaume T. Drivers of soil carbon stabilization in oil palm plantations. *Land Degradation and Development*, Wiley, 2019, 1-12. doi: 10.1002/ldr.3380

Salducci M.D., **Folzer H.**, Issartel J., **Rabier J.**, **Masotti V.**, Prudent P., Affre L., Hardion L., Tatoni T., Laffont-Schwob I. How can a rare protected plant cope with the metal and metalloid soil pollution resulting from past industrial activities? Phytometabolites, antioxidant activities and root symbiosis involved in the metal tolerance of *Astragalus tragacantha*. *Chemosphere*, Elsevier, 2019, 217, 887-896. doi:10.1016/j.chemosphere.2018.11.078

Sangines de Carcer P., Sinaj S., **Santonja M.**, Fossati D., Jeangros B. Long-term effects of crop succession, soil tillage and climate on wheat yield and soil properties. *Soil and Tillage Research*, Elsevier, 2019, 190, 209-219. doi: 10.1016/j.still.2019.01.012

Santonja M., **Bousquet-Mélou A.**, **Greff S.**, **Ormeño E.**, **Fernandez C.** Allelopathic effects of volatile organic compounds released from *Pinus halepensis* needles and roots. *Ecology and Evolution*, Wiley, 2019, 9(14), 8201-8213. doi: 10.1002/ece3.5390

Santonja M., Rodriguez-Perez H., Le Bris N., Piscart C. Leaf nutrients and macroinvertebrates control litter diversity effects in temperate stream. *Ecosystems*, Springer Verlag, 2019, 1-17. doi: 10.1007/s10021-019-00410-9

Santonja M., Milcu A., Fromin N., **Rancon A.**, Shihan A., **Fernandez C.**, **Baldy V.**, Hattenschwiler S. Temporal Shifts in Plant Diversity Effects on Carbon and Nitrogen Dynamics During Litter Decomposition in a Mediterranean Shrubland Exposed to Reduced Precipitation. *Ecosystems*, 22(5), 939-954. doi: 10.1007/s10021-018-0315-4

Sokolova A.M., Pozdnyakov I.R., **Ereskovsky A.V.**, Karpov S.A. Kinetid structure in larval and adult stages of the demosponges *Haliclona aquaeductus* (Haplosclerida) and *Halichondria panicea* (Suberitida). *Zoomorphology*, Springer Verlag, 2019, 138(2), 171-184. doi: 10.1007/s00435-019-00437-5

Trigos S., **Vicente N.** Occurrence of Association of *Pinna nobilis* with Two Decapod Species in Mediterranean French Waters. *Thalassas: An International Journal of Marine Sciences*, 2019, 35 (1), 151-154. doi: 10.1007/s41208-018-0103-0

Vasconcellos V., **Ereskovsky A.**, Willenz P., Lanna E. Comparative ultrastructure of the spermatogenesis of three species of Poecilosclerida (Porifera, Demospongiae). *Zoomorphology*, Springer Verlag, 2019, 138(1), 1-12. doi: 10.1007/s00435-018-0429-4

2018

Andree K.B., Trigos S., Vicente N., Carrasco N., Carella F., Prado P. Identification of potential recruitment bottlenecks in larval stages of the giant fan mussel *Pinna nobilis* using specific quantitative PCR. *Hydrobiologia*, 2018, 818, 235-247. doi: 10.1007/s10750-018-3616-x

Bellan-Santini D., Kaim-Malka R.A. & Dauvin J.C. Two new Haploops species (Crustacea: Gammaridea: Ampeliscidae) from the North Atlantic Ocean: *H. bjarnii* and *H. quebecois* [Contribution to the knowledge of the Haploops genus. 9]. *Zootaxa*, 2018, 4483(3):480-496. doi: 10.11646/zootaxa.4483.3.4

Bouabdelli Z., Belhadj S., Smail-Saadoun N., Mevy J.-P., Notonnier R., Tonetto A., et al. Influence of aridity on fungal arbuscular mycorrhizal variation in five natural Algerian populations of the Atlas Pistachio (*Pistacia atlantica* Desf.). *Revue D'Ecologie-La Terre Et La Vie*, 2018, 73(3):330-344

Boukhris A., Laffont-Schwob I., Folzer H., Rabier J., Mezghani I., Salducci M.-D., Tatoni T., Chaieb M. Tolerance strategies of two Mediterranean native xerophytes under fluoride pollution in Tunisia. *Environmental Science and Pollution Research*, Springer Verlag, 2018, 25 (34), 34753-34764. doi:10.1007/s11356-018-3431-y

Boury-Esnault N. 2018. Preface. *Zootaxa*, 2018, 4466(1), 5-7

Buisson E., Jaunatre R., Regnery B., Lucas M., Alignan J. F., Heckenroth A., Muller I., Bernez I., Combroux I., Moussard S., Glasser T., Jund S., Lelievre S., Malaval S., Vecrin-Stablo M. P., Gallet S. Promoting ecological restoration in France: issues and solutions. *Restoration Ecology*, 2018, 26(1):36-44. doi: 10.1111/rec.12648

Bussotti S., Di Franco A., Bianchi C. N., Chevaldonne P., Egea L., Fanelli E., Lejeusne C., Musco L., Navarro-Barranco C., Pey A., Planes S., Vieux-Ingrassia J. V., Guidetti P. Fish mitigate trophic depletion in marine cave ecosystems. *Scientific Reports*, 2018, 8, 1-11/9193. doi: 10.1038/s41598-018-27491-1

Cárdenas P., Vacelet J., Chevaldonne P., Pérez T., Xavier J. From marine caves to the deep sea, a new look at *Caminella* (Demospongiae, Geodiidae) in the Atlanto-Mediterranean region. *Zootaxa*, Magnolia Press, 2018, 4466(1), 174–196. doi: 10.11646/zootaxa.4466.1.14

Chenot J., Affre L., Gros R., Dubois L., Malecki S., Passetti A., Aboucaya A., Buisson E. Eradication of invasive *Carpobrotus* sp.: effects on soil and vegetation. *Restoration Ecology*, 2018, 26(1):106-113. doi: 10.1111/rec.12538

Daoudi H., Derridj A., Hannachi L., Mevy J.P. Comparative drought responses of *Quercus suber* seedlings of three Algerian provenances under greenhouse conditions. *Revue D'Ecologie (La Terre Et La Vie)*, 2018, 73, 57-70

Ereskovsky A., Kovtun O., Pronin K., Apostolov A., Erpenbeck D., Ivanenko V. Sponge community of the western Black Sea shallow water caves: diversity and spatial distribution. *PeerJ*, 2018, 6, 1-30/e4596 doi:10.7717/peerj.4596

Fontana T., Condor-Lujan B., Azevedo F., Perez T., Klautau M. Diversity and distribution patterns of Calcareous sponges (subclass Calcinea) from Martinique. *Zootaxa*, 2018, 4410(2), 331-369. doi: 10.11646/zootaxa.4410.2.5

Garayev E., Herbette G., Mabrouki F., Chiffolleau P., Roux D., Ollivier E., Elias R., Baghdikian B. Chemical Constituents of *Inula montana* Flowers and Leaves. *Chemistry of Natural Compounds*, 2018, 54, 755-756. doi: 10.1007/s10600-018-2463-3

Garayev E., Di Giorgio C., Herbette G., Mabrouki F., Chiffolleau P., Roux D., Sallanon H., Ollivier E., Elias R., Baghdikian B. Bioassay-guided isolation and UHPLC-DAD-ESI-MS/MS quantification of potential anti-inflammatory phenolic compounds from flowers of *Inula montana* L. *Journal of Ethnopharmacology*, Elsevier, 2018, 226, 176-184. doi:10.1016/j.jep.2018.08.005

Gauquelin T., Michon G., Joffre R., Duponnois R., Genin D., Fady B., Dagher-Kharrat M. B., Derridj A., Slimani S., Badri W., Alifriqui M., Auclair L., Simenel R., Aderghal M., Baudoin E., Galiana A., Prin Y., Sanguin H., Fernandez C., Baldy V. Mediterranean forests, land use and climate change: a social-ecological perspective. *Regional Environmental Change*, 2018, 18(3): 623-636. doi: 10.1007/s10113-016-0994-3

Gavinet J., Prévosto B., Bousquet-Mélou A., Gros R., Quer E., Baldy V., Fernandez C. Do litter-mediated plant-soil feedbacks influence Mediterranean oak regeneration? A two-year pot experiment. *Plant and Soil*, Springer Verlag, 2018, 430(1-2), 59-71. doi:10.1007/s11104-018-3711-9

Genard-Zielinski A.-C., Boissard C., Ormeno E., Lathiere J., Reiter I., Wortham H., Orts J.-P., Temime-Roussel B., Guenet B., Bartsch S., Gauquelin T., Fernandez C. Seasonal variations of *Quercus pubescens* isoprene emissions from an in natura forest under drought stress and sensitivity to future climate change in the Mediterranean area. *Biogeosciences*, European Geosciences Union, 2018, 15 (15), 4711-4730. doi: 10.5194/bg-15-4711-2018

Grenier M., Ruiz C., Fourt M., Santonja M., Dubois M., Klautau M., Vacelet J., Boury-Esnault N., Perez T. (2018). Sponge inventory of the French Mediterranean waters, with an emphasis on cave-dwelling species. *Zootaxa*, 4466, 205-228. doi:10.11646/zootaxa.4466.1.16

Hernandis S., Garcia-March J. R., Sanchis M. A., Monleon S., Vicente N. & Tena, J. (2018). Temperature regulates the switch between light-synchronized and unsynchronized activity patterns in the subtidal bivalve *Pinna nobilis*. *Mediterranean Marine Science*, 19(2) :366-375. doi:10.12681/mms.14158

Kenworthy J. M., Davoult D. & Lejeusne C. (2018). Compared stress tolerance to short-term exposure in native and invasive tunicates from the NE Atlantic: when the invader performs better. *Marine Biology*, 165(10), 1-11/164. doi:10.1007/s00227-018-3420-1

Kulakova N.V., Sakirko M.V., Adelshin R.V., Butina T.V., Khanaev I.V., Nebesnykh I.A., Perez T. Brown Rot Syndrome and Changes in the Bacterial Community of the Baikal Sponge *Lubomirskia baicalensis*. *Microbial Ecology*, 2018, 75(4), 1024-1034. doi: 10.1007/s00248-017-1097-5

Lage A., Muricy G., Ruiz C. & Perez T. New sciaphilic plakinids (Porifera, Homoscleromorpha) from the Central-Western Pacific. *Zootaxa*, 2018, 4466, 8-38. doi:10.11646/zootaxa.4466.1.4

Lavrov A., Bolshakov F., Tokina D., Ereskovsky A. Sewing wounds up: the epithelial morphogenesis as a central mechanism of calcareous sponge regeneration. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 2018, 330(6-7):351-371. doi: 10.1002/jezb.22830

Lopes M., Condor-Lujan B., Azevedo F., Perez T., Klautau M. A new genus of calcareous sponge discovered in the Caribbean Sea: *Bidderia* gen. nov. (Porifera, Calcarea, Calcinea). *Zootaxa*, Magnolia Press, 2018, 4526(1), 56-70. doi: 10.11646/zootaxa.4526.1.4

Movsumov I.S., Garayev E.A., Baghdikian B., Mabrouki F., Herbette G., Ollivier E., Suleimanov T.A., Garayev E.E. Flavonoids from *Stachys annua* Growing in Azerbaijan. *Chemistry of Natural Compounds*, 2018, 54(2):261–262. doi:10.1007/s10600-018-2318-y

Niviere M., Chambault P., Perez T., Etienne D., Bonola M., Martin J., Barnerias C., Védie F., Mailles J., Dumont-Dayot E., Gresser J., Hielard G., Regis S., Lecerf N., Thieulle L., Duru M., Lefebvre F., Millet G., Guillemot B., Bildan B., de Montgolfier B., Benhalilou A., Murgale C., Maillet T., Queneherve P., Woignier T., Safi M., Le Maho Y., Petit O., Chevallier D. Identification of marine key areas across the Caribbean to ensure the conservation of the critically endangered hawksbill turtle. *Biological Conservation*, 2018, 223: 170-180. doi: 10.1016/j.biocon.2018.05.002

Pérez T. & Ruiz C. Description of the first Caribbean Oscarellidae (Porifera: Homoscleromorpha). *Zootaxa*, 2018, 4369 (4), 501–514. doi : 10.11646/zootaxa.4369.4.3

Pestana R., Ribeiro C., Boury-Esnault N., Biscoito M. Systematic account of new Porifera (Demospongiae) records from the oceanic Island of Madeira (NE Atlantic). *Zootaxa*, Magnolia Press, 2018, 4402 (2), 395-400. doi: 10.11646/zootaxa.4402.2.11

Pozdnyakov I.R., Sokolova A.M., Ereskovsky A.V., Karpov S.A. Kinetid structure in sponge choanocytes of Spongillida in the light of evolutionary relationships within Demospongiae. *Zoological Journal of the Linnean Society*, 2018, 184(2), 255-272. doi : 10.1093/zoolinnean/zlx109

Reverter M., Tribalat M.-A., Pérez T., Thomas O. Metabolome variability for two Mediterranean sponge species of the genus *Haliclona*: specificity, time, and space. *Metabolomics*, Springer Verlag, 2018, 14(114), 1-12, doi: 10.1007/s11306-018-1401-5

Ruffault J., Curt T., St-Paul N. M., Moron V., Trigoc R. M. Extreme wildfire events are linked to global-change-type droughts in the northern Mediterranean. *Natural Hazards and Earth System Sciences*, European Geosciences Union, 2018, 18, 847-856. 10.5194/nhess-18-847-2018

Ruffault J., Martin-Stpaul N., Pimont F., Dupuy J-L. How well do meteorological drought indices predict live fuel moisture content (LFMC)? An assessment for wildfire research and operations in Mediterranean ecosystems. *Agricultural and Forest Meteorology*, Elsevier Masson, 2018, 262, 391-401. doi:10.1016/j.agrformet.2018.07.031

Sakowska K., Alberti G., Genesio L., Peressotti A., Delle Vedove G., Gianelle D., Colombo R., Rodeghiero M., Panigada C., Juszczak R., Celesti M., Rossini M., Haworth M., Campbell B.W., Mevy J.-P., Vescovo L., Cendrero-Mateo M.P., Rascher U., Miglietta F. Leaf and canopy photosynthesis of a chlorophyll deficient soybean mutant. *Plant, Cell & Environment*, 2018, 41(6), 1427-1437. doi : 10.1111/pce.13180

Santonja M., Foucault Q., Rancon A., Gauquelin T., Fernandez C., Baldy V., Mirleau P. Contrasting responses of bacterial and fungal communities to plant litter diversity in a Mediterranean oak forest. *Soil Biology and Biochemistry*, Elsevier, 2018, 125, 27-36. doi: 10.1016/j.soilbio.2018.06.020

Santonja M., Aupic-Samain A., Forey E., Chauvat M. Increasing temperature and decreasing specific leaf area amplify centipede predation impact on Collembola. *European Journal of Soil Biology*, 2018, 89, 9-13. doi: 10.1016/j.ejsobi.2018.08.002

Santonja M., Greff S., Le Croller M., Thomas O. P., Pérez T. Distance interaction between marine cave-dwelling sponges and crustaceans. *Marine Biology*, 2018, 165(7), 121/1-15. doi: 10.1007/s00227-018-3377-0

Saunier A., Ormeño E., Havaux M., Wortham H., Ksas B., Temime-Roussel B., Blande J., Lecareux C., Mevy J.-P., Bousquet-Mélou A., Gauquelin T., Fernandez C. Resistance of native oak to recurrent drought conditions simulating predicted climatic changes in the Mediterranean region. *Plant Cell & Environment*, 2018, 41(10), 2299-2312. doi: 10.1111/pce.13331

Trigos S., Vicente N., Prado P., Espinos F. Adult spawning and early larval development of the endangered bivalve *Pinna nobilis*. *Journal of Aquaculture*, 2018, 483, 102-110. doi: 10.1016/j.aquaculture.2017.10.015

Vacelet J. & Cardenas P. (2018). When is an aster not an aster? A new deep-sea *Discorhabdella* (Demospongiae, Poecilosclerida) with asters, from the Mozambique Channel. *Zootaxa*, 4466, 197-204. doi:10.11646/zootaxa.4466.1.15

Vacelet J., James B. & Zibrowius H. New records of the hypercalcified sponge *Plectroninia* (Calcarea, Minchinellidae) in the Recent deep ocean. *Alcheringa*, 2018, 42, 311-318. doi:10.1080/03115518.2017.1395075

2017

Alhanout K., Bun S.S., Retornaz K., Chiche L., Colombini N. Prescription discrepancies related to the use of computerized provider order-entry system for pediatric patients. *International Journal of Medical Informatics*, 2017, 103, 15-19. doi: 10.1016/j.ijmedinf.2017.04.005

Bauvais C., Bonneau N., Blond A., Perez T., Bourguet-Kondracki M.L., Zirah S. Furanoterpene diversity and variability in the marine sponge *Spongia officinalis*, from metabolomic profiling to furanolactam derivatives. *Metabolites*, 2017, 7(2), 27, 1-20. doi: 10.3390/md15070199.

Bottero J.Y., Rose J., de Garidel C., Masion A., Deutsch T, Brochard G., Carrière M., Gontard N., Wortham H., Rabilloud T., Salles B., Dubosson M., Cathala B., Boutry D., Ereskovsky A., Auplat C., Charlet L., Heulin T., Frejafon E., Lanone S. SERENADE: safer and ecodesign research and education applied to nanomaterial development, the new generation of materials safer by design. *Environmental Science: Nano*, 2017, 4(3), 526-538. doi: 10.1039/c6en00282j

Boudouresque C.F., Blanfune A., Fernandez C., Lejeusne C., Perez T., Ruitton S., Thibault D., Thibaut T., Verlaque M. Marine Biodiversity Warming vs. Biological Invasions and overfishing in the Mediterranean Sea: Take care, 'One Train can hide another'. *MOJ Ecology & Environmental Sciences*, 2017, 2(4), 1-13. doi: 10.15406/mojes.2017.02.00031

Boury-Esnault N., Vacelet J., Dubois M., Goujard A., Fourn M., Perez T., Chevaldonne P. (2017). New hexactinellid sponges from deep Mediterranean canyons. *Zootaxa* 4236(1):118-134, doi: 10.11646/zootaxa.4236.1.6

Brunel C., Gros R., Ziarelli F. Farnet Da Silva A.M. (2017). Additive or non-additive effect of mixing oak in pine stands on soil properties depends on the tree species in Mediterranean forests. *Science of the Total Environment*, 590-591, 676-685. doi: 10.1016/j.scitotenv.2017.03.023

Calabro K., Kalahroodi L.E., Rodrigues D., Diaz Navarro C., De La Cruz M., Cautain B., Laville R., Reyes F., Perez T., Soussi B., Thomas O. (2017). Poecillastrosides, Steroidal Saponins from the Mediterranean Deep-Sea Sponge *Poecillastra compressa* (Bowerbank, 1866). *Marine Drugs* 15(7), 1-12/199, doi: 10.3390/md15070199

Dary C., Baghdikian B., Kim S., Mabrouki F., Jabbour F., Hul S., Ollivier E., Bun SS. Optimization of ultrasound assisted extraction of bioactive alkaloids from an asian medicinal plant, *Stephania cambodica* Gagnep. using response surface Methodology. *Comptes Rendus Chimie*, 2017, 20, 996-1005. doi : 10.1016/j.crci.2017.09.004

Dary C., Bun S.S., Herbette G., Mabrouki F., Bun H., Kim S., Jabbour F., Hul S., Baghdikian B., Ollivier E. Chemical profiling of the tuber of *Stephania cambodica* Gagnep. (Menispermaceae) and analytical control by UHPLC-DAD. *Natural Product Research*, 2017, 31(7), 802-809. doi: 10.1080/14786419.2016.1247077

Dauvin J.C., Bakalem A., Baffreau A., Delecricin C., Bellan G., Lardicci C., Balestri E., Sarda R., Grimes S. The well sorted fine sand community from the western Mediterranean Sea: A resistant and resilient marine habitat under diverse human pressures. *Environmental Pollution*, 2017, 224, 336-351. doi: 10.1016/j.envpol.2017.02.013

El Bouzidi L., Ben Bakrim W., Mahiou V., Azas N., Larhsini M., Markouki M., Ollivier E., Bekkouche K. In vitro antiplasmodial activity of *Withania frutescens*-Solanaceae. *European Journal of Integrative Medicine*, 2017, 14, 28-31. doi: 10.1016/j.eujim.2017.08.009

Elilli A., Rabier J., Prudent P., Salducci M.-D., Heckenroth A., Lachaal M., Laffont-Schwob I. Decision-making criteria for plant-species selection for phytostabilization: Issues of biodiversity and functionality. *Journal of Environmental Management*, 2017, 201, pp.215-226. doi: 10.1016/j.jenvman.2017.06.041

Ereskovsky A., Geronimo A., Perez T. Asexual and "puzzling" sexual reproduction of the Mediterranean sponge *Haliclona fulva* (Demospongiae): life cycle and cytological structures. *Invertebrate Biology*, 2017, 136(4), 403-421. doi: 10.1111/ivb.12195

Ereskovsky A.V., Lavrov A.I., Bolshakov F.V., Tokina D.B. Regeneration in White Sea sponge *Leucosolenia complicata* (Porifera, Calcarea). *Invertebrate Zoology*, 2017, 14(2), 108-113. doi: 10.15298/invertzool.14.2.02

Ereskovsky A.V., Richter D.J., Lavrov D.V., Schippers K.J., Nichols, S.A. Transcriptome sequencing and delimitation of sympatric *Oscarella* species (*O. carmela* and *O. pearsei* sp nov) from California, USA. *PLoS ONE*, 2017, 12(9): 1-25/e0183002. doi: 10.1371/journal.pone.0183002

Favre L., Ortalo-Magne A., Greff S., Perez T., Thomas O.P., Martin J.C., Culioli G. Discrimination of Four Marine Biofilm-Forming Bacteria by LC-MS Metabolomics and Influence of Culture Parameters. *Journal of Proteome Research*, 2017, 16 (5), 1962-1975. doi: 10.1021/acs.jproteome.6b01027

Fierro-Constain L., Schenkelaars Q., Gazave E., Haguenaer A., Rocher C. Ereskovsky A. Borchiellini C., Renard E. The Conservation of the Germline Multipotency Program, from Sponges to Vertebrates: A Stepping Stone to Understanding the Somatic and Germline Origins. *Genome Biology and Evolution*, Society for Molecular Biology and Evolution, 2017, 474-488. doi :10.1093/gbe/evw289

Garayev E., Herbette G., Di Giorgio C., Chiffolleau P., Roux D., Sallanon H., Ollivier E., Elias R., Baghdikian B. New sesquiterpene acid and inositol derivatives from *Inula montana* L. *Fitoterapia*, 2017, 120, 79-84. doi: 10.1016/j.fitote.2017.05.011

Greff S., Aires T., Serrao E.A., Engelen A.H., Thomas O.P., Pérez T. The interaction between the proliferating macroalga *Asparagopsis taxiformis* and the coral *Astroides calycularis* induces changes in microbiome and metabolomic fingerprints. *Scientific Reports*, 2017, 7, 1-14/42625. doi: 10.1038/srep42625

Greff S., Zubia M., Payri C., Thomas O.P., Pérez T. (2017). Chemogeography of the red macroalgae *Asparagopsis*: metabolomics, bioactivity, and relation to invasiveness. *Metabolomics* 13, 1-13/33. doi:10.1007/s11306-017-1169-z

Guenon R., Day T.A., Velazco-Ayuso S., Gros R. (2017). Mixing of Aleppo pine and Holm oak litter increases biochemical diversity and alleviates N limitations of microbial activity. *Soil Biology and Biochemistry*, 105, 216-226. doi: 10.1016/j.soilbio.2016.11.023

Hafsi Z., Belhadj S., Derridj A., Mevy J-P, Notonnier R., Tonetto A., Gauquelin T. Morphological variability (needles, galbulus) among seven populations of the *Juniperus oxycedrus* L-species-complex in Algeria. *Revue d'Ecologie-La Terre et la Vie*, 2017, 72, 353-373.

Hashoum H, M Santonja, T Gauquelin, A Saatkamp, Gavinet J., Greff S., Lecareux C., Fernandez C., Bousquet-Mélou A. Biotic interactions in a Mediterranean oak forest: role of allelopathy along phenological development of woody species. *European Journal of Forest Research*, 2017, 136, 699-710. doi: 10.1007/s10342-017-1066-z

Heckenroth A., Rabier J., Monsara P., Le Mire Pecheux L., Prudent P., Sastre Condé M.I., Laffont-Schwob I. Mise en place d'une approche intégrée pour la restauration écologique des milieux pollués du Parc national des Calanques. *Naturae, Publications scientifiques du Muséum*, 2017, 9, 1-14.
Horton T., Gofas S., Kroh A., Poore G.C.B., Read G., Rosenberg G., Stöhr S., Bailly N., Boury-Esnault N., Brandao S.N., Costello M.J., Decock W., Dekeyzer S., Hernandez F., Mees J., Paulay G., Vandepitte

L., Vanhoorne B. & Vranken S. Improving nomenclatural consistency: a decade of experience in the World Register of Marine Species. *European Journal of Taxonomy*, 2017, 389, 1-24. doi: 10.5852/ejt.2017.389

Hul S., Dary C., Jacques F., Ollivier E., Bun SS., Cheng SK., Kim S., Peou Y., Jabbour F. The world checklist of *Stephania* (Menispermaceae), with notes on types. *Phytotaxa*, 2017, 298(2), 101-118. doi : 10.11646/phytotaxa.298.2.1

Lempereur M., Limousin J.M., Guibal F., Ourcival J.M., Rambal S., Recent climate hiatus revealed dual control by temperature and drought on the stem growth of Mediterranean *Quercus ilex*. *Global Change Biology*, Wiley, 2017, 23(1), 42-55. doi : 10.1111/gcb.13495

Pérez T., Diaz M.C., Ruiz C., Condor-Lujan B., Klautau M., Hajdu E., Lobo-Hajdu G., Zea S., Pomponi S.A., Thacker R.W., Carteron S., Tollu G., Pouget-Cuvelier A., Thelamon P., Marechal J.P., Thomas O.P., Ereskovsky A.V., Vacelet J., Boury-Esnault N. How a collaborative integrated taxonomic effort has trained new spongiologists and improved knowledge of Martinique Island (French Antilles, Eastern Caribbean Sea) marine biodiversity. *PLOS ONE*, 2017, 12(3), 1-27/e0173859. doi: 10.1371/journal.pone.0173859

Pozdnyakov I., Sokolova A., Ereskovsky A., Karpov S.. Kinetid structure of choanoflagellates and choanocytes of sponges does not support their close relationship. *Protistology*, 2017, 11(4), 248-264. doi: 10.21685/1680-0826-2017-11-4-6., pas WOS

Rodriguez-Ramirez N., Santonja M., Baldy V., Ballini C., Montès N. Shrub species richness decreases negative impacts of drought in a Mediterranean ecosystem. *Journal of Vegetation Science*, 2017, 28(5), 985-996. doi: 10.1111/jvs.12558

Roux D., Alnaser O., Garayev E., Baghdikian B., Elias R., Chiffolleau P., Ollivier E., Laurent S., El Maataoui M., Sallanon H. Ecophysiological and Phytochemical Characterization of Wild Populations of *Inula montana* L. (Asteraceae) in Southeastern. *Flora*, 2017, 236-237: 67-75. doi: 10.1016/j.flora.2017.09.012

Ruffault J., Mouillot F. Contribution of human and biophysical factors to the spatial distribution of forest fire ignitions and large wildfires in a French Mediterranean region. *International Journal of Wildland Fire*, CSIRO Publishing, 2017, 26(6), 498-508. doi: 10.1071/WF16181

Ruiz C., Muricy M., Lage A., Domingos C., Chenesseau S., Perez T. Descriptions of new sponge species and genus, including aspiculate Plakinidae, overturn the *Homoscleromorpha* classification. *Zoological Journal of the Linnean Society*, 2017, 179(4), 707-724. doi: 10.1111/zoj.12480

Santonja M., Fernandez C., Proffit M., Gers C., Gauquelin T., Reiter I.M., Cramer W., Baldy V. Plant litter mixture partly mitigates the negative effects of extended drought on soil biota and litter decomposition in a Mediterranean oak forest. *Journal of Ecology*, 2017, 105(3), 801-815. doi: 10.1111/1365-2745.12711

Santonja M., Minguez L., Gessner M.O., Sperfeld E. Predator–prey interactions in a changing world: humic stress disrupts predator threat evasion in copepods. *Oecologia*, 2017, 183(3), 887-898. doi: 10.1007/s00442-016-3801-4

Santonja M., Rancon A., Fromin N., Baldy V., Hättenschwiler S., Fernandez C., Montès N., Mirleau P. Plant litter diversity increases microbial abundance, fungal diversity, and carbon and nitrogen cycling in a Mediterranean shrubland. *Soil Biology and Biochemistry*, 2017, 111, 124-134. doi: 10.1016/j.soilbio.2017.04.006

Saunier A., Ormeño E., Boissard C., Wortham H., Temime-Roussel B., Lecareux C., Armengaud A., Fernandez C. Effect of mid-term drought on *Quercus pubescens* BVOCs emissions seasonality and their dependence to light and/or temperature. *Atmospheric Chemistry and Physics*, 2017, 17(12), 7555-7566. doi: 10.5194/acp-17-7555-2017

Saunier A, Ormeño E, Wortham H, Temime Roussel B, Lecareux C, Boissard C, Fernandez C. Chronic drought decreases anabolic and catabolic BVOC emissions of *Quercus pubescens* in a Mediterranean forest. *Frontiers in Plant Science*, 2017, 8, 1-11/71. doi: 10.3389/fpls.2017.00071

Schenkelaars Q., Pratlong M., Kodjabachian L., Fierro-Constain L., Vacelet J., Le Bivic A., Renard E., Borchiellini C.. Animal multicellularity and polarity without Wnt signaling. *Scientific Reports*, 2017, 7(1), 1-11/15383. doi: 10.1038/s41598-017-15557-5

Schoeppler V., Reich E., Vacelet J., Rosenthal M., Pacureanu A., Rack A., Zaslansky P., Zolotoyabko E., Zlotnikov I. Shaping highly regular glass architectures: A lesson from nature. *Science Advances*, American Association for the Advancement of Science (AAAS), 2017, 3(10), 1-6/eaao2047. doi: 10.1126/sciadv.aao2047

Shihan A., Hättenschwiler S., Milcu A., Joly F.-X., Santonja M., Fromin N. Changes in soil microbial substrate utilization in response to altered litter diversity and precipitation in a Mediterranean shrubland. *Biology and Fertility of Soils*, 2017, 53(2), 171-185. doi: 10.1007/s00374-016-1166-9

Sidjui L.S., Eyong K.O., Hull K.G., Folefoc G.N., Leddet V., Herbette G., Ollivier E., Taube J., Klausmeyer K., Romo D. Bioactive Seco-Lanostane-Type Triterpenoids from the Roots of *Leplaea mayombensis*. *Journal of Natural Products*, 2017, 80(10), 2644-2651. doi: 10.1021/acs.jnatprod.7b00210

Simion P., Philippe H., Baurain D., Jager M., Richter D.J., Di Franco A., Roure B., Satoh N., Queinnee E., Ereskovsky A., Lapebie P., Corre E., Delsuc F., King N., Worheide G., Manuel M. A Large and Consistent Phylogenomic Dataset Supports Sponges as the Sister Group to All Other Animals. *Current Biology*, 2017, 27(7), 958-967. doi: 10.1016/j.cub.2017.02.031

Thibaut T., Blanfuné A., Boudouresque C.F., Personnic S., Ruitton S., Ballesteros E., Bellan-Santini D., Bianchi C.N., Bussotti S., Cebrian E., Cheminée A., Culioli J.-M., Derrien-Courtel S., Guidetti P., Harmelin-Vivien M., Hereu B., Morri C., Poggiale J.-C., Verlaque M. An ecosystem-based approach to assess the status of Mediterranean algae-dominated shallow rocky reefs. *Marine Pollution Bulletin*, 2017, 117(1-2), 311-329. doi: 10.1016/j.marpolbul.2017.01.029

Ungaro A., Pech N., Martin J-F, McCairns R.J.S., Mevy J.-P., Chappaz R., Gilles A. Challenges and advances for transcriptome assembly in non-model species. *PLoS ONE*, 2017, 12(9), 1-21/e0185020. doi: 10.1371/journal.pone.0185020

Valor T., Ormeño E., Casals P. Temporal effects of prescribed burning on terpene production in Mediterranean pines. *Tree Physiology*, 2017, 37(12), 1622-1636. doi: 10.1093/treephys/tpx069

Vieira C., Gaubert J., De Clerck O., Payri C., Culioli G., Thomas O. Biological activities associated to the chemodiversity of the brown algae belonging to genus *Lobophora* (Dictyotales, Phaeophyceae). *Phytochemistry Reviews*, 2017, 16, 1-17. doi: 10.1007/s11101-015-9445-x

Wittmann K.J., Chevaldonné P. Description of *Heteromysis* (*Olivemysis*) *ekamako* sp. nov. (Mysida : Mysidae : Heteromysinae) from a marine cave at Nuku Hiva Island (Marquesas, French Polynesia, Pacific Ocean). *Marine Biodiversity*, 2017, 47(3), 879-886. doi: 10.1007/s12526-016-0522-1

Meunier J.D., Barboni D., Anwar-UI-Haq M., Levard C., Chaurand P., Vidal V., Grauby O., Huc R., Laffont-Schwob I., Rabier J., Keller C. Effect of phytoliths for mitigating water stress in durum wheat. *New Phytologist*, 2017, 215(1), 229-239. doi: 10.1111/nph.14554

Indéxées

2016

Bellan-Santini D, Kaim-Malka RA, Dauvin JC In press On Haploops species with the redescription of Haploops vallifera and H. siberica (Crustacea: Gammaridea: Ampeliscidae) (Contribution to the knowledge of the Haploops genus. 9.) Zootaxa.

Chomel M, Guittonny-Larchevêque M, DesRochers A, Baldy V 2016 Effect of mixing herbaceous litter with tree litters on decomposition and N release in boreal plantationse. *Plant and Soil* 398(1-2):229-241, doi: 10.1007/s11104-015-2648-5.

Chomel M, Larchevêque M, Fernandez C, Gallet C, Desrochers A, Paré D, Baldy V 2016 Secondary metabolites in plant litter: a key trait for ecosystem processes. *J Ecol*, doi: 10.1111/1365-2745.12644.

Gavinet J, Prévosto B, Fernandez C in press Introducing resprouters to enhance Mediterranean forest resilience: importance of functional traits to select species according to a gradient of pine density. *J Appl Ecol*.

Gauquelin T, Michon G, Joffre R, Duponnois R, Génin D, Fady B, Bou Dagher M, Derridj A, Slimani S, Badri W, Alifriqui M, Auclair L, Simenel R, Aderghal M, Baudoin E, Galiana A, Prin Y, Sanguin H, Fernandez C, Baldy V 2016 Crossing cultural and ecological approaches to understand Mediterranean forest dynamics facing global change *Reg Environm Change* OnlineFirst, doi: 10.1007/s10113-016-0994-3.

Fernandez C, Monnier Y, Santonja M, Gallet C, Weston LA, Prévosto B, Saunier A, Baldy V, Bousquet-Mélou A 2016 The Impact of Competition and Allelopathy on the Trade-Off between Plant Defense and Growth in Two Contrasting Tree Species. *Frontiers in Plant Sciences*, doi: 10.3389/fpls.2016.00594.

Lavrov DV, Adamski M, Chevalloné P, Adamska M 2016 Extensive Mitochondrial mRNA Editing and Unusual Mitochondrial Genome Organization in Calcareous Sponges. *Current Biology* 26(1):86–92, doi: 10.1016/j.cub.2015.11.043.

Mathaux C, Mandin J-P, Oberlin C, Edouard J-L, Gauquelin T, Guibal F online Ancient juniper trees growing on cliffs: towards a long Mediterranean tree-ring chronology. *Dendrochronologia* 37:79-88, doi: 10.1016/j.dendro.2015.12.005.

Prévosto B, Gavinet J, Monnier Y, Corbani A, Fernandez C 2016 Influence of neighbouring woody treatments on Mediterranean oak development in an experimental plantation: Better form but weaker growth. *Forest Ecol Management* 362:89-98, doi: 10.1016/j.foreco.2015.11.046.

Reverter M, Pérez T, Ereskovsky AV, Banaigs B 2016 Secondary Metabolome Variability and Inducible Chemical Defenses in the Mediterranean Sponge *Aplysina cavernicola*. *J Chem Ecol* 42(1):60-70, doi: 10.1007/s10886-015-0664-9.

Ruiz C, Muricy M, Lage A, Domingos C, Chenesseau S, Pérez T in press Descriptions of new sponge species and genus, including aspiculate Plakinidae, overturn the Homoscleromorpha classification. *Zool J Linn Soc*.

Saint-Lary L, Roy C, Paris J-P, Martin J-F, Thomas OP, Fernandez X 2016 Metabolomics as a tool for the authentication of rose extracts used in flavour and fragrance area. *Metabolomics* 12:49, doi: 10.1007/s11306-016-0963-3.

Romero-Ramirez, A., Bonifácio, P., Labruno C., Sardà R., Amouroux J.M., Bellan, G., Duchêne J.C., Rachel Hermand R., Ioannis Karakassis I., Grémare A. 2016 Long-term (1998-2010) large-scale comparison of the ecological quality status of Gulf of Lions (NW Mediterranean) benthic habitats. *Mar Poll Bull* 102 :102-113.

Wittmann KJ, Chevalloné P 2016 Description of *Heteromysis* (*Olivemysis*) *ekamako* sp. nov. (Mysida : Mysidae : Heteromysinae) from a marine cave at Nuku Hiva Island (Marquesas, French Polynesia, Pacific Ocean). *Mar Biodiv*, doi: 10.1007/s12526-016-0522-1.

Sanguin H, Mathaux C, Guibal F, Prin Y, Mandin JP, Gauquelin T, Duponnois R 2016 Ecology of vertical life in harsh environments: The case of mycorrhizal symbiosis with secular cliff climbing trees (*Juniperus phoenicea* L.) *J. Arid Environ.*, 134: 132-135, doi 10.1016/j.jaridenv.2016.07.008.

2015

Baldy V, Thiébaud G, Fernandez C, Sagova-Mareckova M, Korboulewsky N, Monnier Y, Perez T, Trémolières M 2015 Experimental assessment of the water quality influence on the phosphorus uptake of an invasive aquatic plant: biological responses throughout its phenological stage. *PLoS ONE* 10(3): e0118844, doi: 10.1371/journal.pone.0118844.

Basso L, Vázquez-Luis M, García-March JR, Deudero S, Alvarez E, Vicente N, Duarte CM, Hendriks IE in press The Pen Shell, *Pinna nobilis*: A Review of Population Status and Recommended Research Priorities in the Mediterranean Sea. *Advances in Marine Biology* 71(3):109-160, doi: 10.1016/bs.amb.2015.06.002.

Bauvais C, Zirah S, Piette L, Chaspoul F, Domart-Coulon I, Chapon V, Gallice P, Rebuffat S, Pérez T, Bourguet-Kondracki ML 2014 Sponging up metals: Bacteria associated with the marine sponge *Spongia officinalis*. *Marine Environm Res* 104:20-30, doi: 10.1016/j.marenvres.2014.12.005.

Boury-Esnault N, Vacelet J, Reiswig HM, Fourt M, Aguilar R, Chevalloné P 2015 Mediterranean hexactinellid sponges, with the description of a new *Sympagella* species (*Porifera*, *Hexactinellida*). *J Marine Biol Ass UK* 95(07):1353-1364, doi: 10.1017/S0025315414001891.

Cachet N, Genta-Jouve G, Ivanisevic J, Chevalloné P, Sinniger F, Culioli G, Pérez T, Thomas OP 2015 Metabolic profiling reveals deep chemical divergence between two morphotypes of the zoanthid *Parazoanthus axinellae*. *Scientific Reports* 5:8282, doi: 10.1038/srep08282.

Chevalloné P, Pérez T, Crouzet J-M, Bay-Nouailhat W, Bay-Nouailhat A, Fourt M, Almon B, Pérez J, Aguilar R, Vacelet J 2015 Unexpected records of 'deep-sea' carnivorous sponges *Asbestopluma hypogea* in the shallow NE Atlantic shed light on new conservation issues. *Marine Ecology* 36(3):475-484, doi: 10.1111/maec.12155.

Chevalloné P, Rastorgueff P-A, Arslan D, Lejeusne C 2015 Molecular and distribution data on the poorly-known, elusive, cave mysid *Harmelinella mariannae* (*Crustacea: Mysida*). *Marine Ecology* 36(3):305-317, doi: 10.1111/maec.12139.

Chomel M, Guittonny-Larchevêque M, DesRochers A, Baldy V online Home Field Advantage of Litter Decomposition in Pure and Mixed Plantations Under Boreal Climate. *Ecosystems* 18 (6) : 1014-1028 doi: 10.1007/s10021-015-9880-y.

Coulis M, Fromin N, David J-F, Gavinet J, Clet A, Devidal S, Roy J, Hättenschwiler S online Functional dissimilarity across trophic levels as a driver of soil processes in a Mediterranean decomposer system exposed to two moisture levels. *Oikos* 24(10): 1304-1316 doi: 10.1111/oik.01917.

Díaz MC, Thacker RW, Redmond NE, Perez T, Collins AG 2015 *Vansoestia caribensis* gen. nov., sp. nov.: first report of the family Ianthellidae (Verongida, Demospongiae) in the Caribbean. *Zootaxa* 3956:3, doi: 10.11646/zootaxa.3956.3.5.

Gavinet J, Vilagrosa A, Chirino E, Granados ME, Vallejo VR, Pévosto B 2015 Hardwood seedling establishment below Aleppo pine depends on thinning intensity in two Mediterranean sites. *Annals of Forest Science*, doi: 10.1007/s13595-015-0495-4.

Genard-Zielinski A-C, Boissard C, Fernandez C, Kalogridis C, Gros V, Lathièrre J, Bonnaire N, Ormeño E 2015 Variability of BVOC emissions from a Mediterranean mixed forest in southern France with a focus on *Quercus pubescens*. *Atmos Chem Phys* 15:431-446, doi: 10.5194/acp-15-431-2015.

Genta-Jouve G, Boughanem C, Ocaña O, Pérez T, Thomas OP online Eryloside W, a triterpenoid saponin from the sponge *Dictyonella marsilii*. *Phytochemistry Lett* 13:252–255, doi: 10.1016/j.phytol.2015.07.004.

Hestetun JT, Fourt M, Vacelet J, Boury-Esnault N, Rapp HT 2015 Cladorhizidae (Porifera, Demospongiae, Poecilosclerida) of the deep Atlantic collected during Ifremer cruises, with a biogeographic overview of the Atlantic species. *J Marine Biol Ass UK* 95(07):1311-1342, doi: 10.1017/S0025315413001100.

Muths D, Rastorgueff PA, Selva M, Chevaldonné P 2015 Local scale connectivity in the cave-dwelling brooding fish *Apogon imberbis*. *J Sea Res* 95:70-74, doi:10.1016/j.seares.2014.10.009.

Prevosto B, Gavinet J, Ripert C, Fernandez C 2015 Identification of windows of emergence and seedling establishment in a pine Mediterranean forest under controlled disturbances. *Basic and Applied Ecology*,16(1):36-45, doi: 10.1016/j.baae.2014.10.008.

Rastorgueff P-A, Bellan-Santini D, Bianchi CN, Bussotti S, Chevaldonné P, Guidetti P, Harmelin JG, Montefalcone M, Morri C, Perez T, Ruitton S, Vacelet J, Personnic S 2015 An ecosystem-based approach to evaluate the ecological quality of Mediterranean undersea caves. *Ecological Indicators* 54:137-152, doi: 10.1016/j.ecolind.2015.02.014.

Rastorgueff P-A, Rocher C, Selva M, Chevaldonné P 2015 Preliminary DNA-based diet assessment of a gutless carnivore, the sponge *Asbestopluma hypogea*. *J Exp Mar Biol Ecol* 467:108–114, doi: 10.1016/j.jembe.2015.02.014.

Ruiz C, Ivanišević O, Chevaldonné P, Ereskovsky AV, Boury-Esnault N, Vacelet J, Thomas OP, Perez T 2015 Integrative taxonomic description of *Plakina kanaky*, a new polychromatic sponge species from New Caledonia (Porifera: Homoscleromorpha). *Marine Ecology* 36(4):1129-1143, doi: 10.1111/maec.12209.

Santonja M, Baldy V, Fernandez C, Balesdent J, Gauquelin T online Potential Shift in Plant Communities with Climate Change: Outcome on Litter Decomposition and Nutrient Release in a Mediterranean Oak Forest. *Ecosystems*,18(7) :1253-1268 doi: 10.1007/s10021-015-9896-3.

Santonja M, Fernandez C, Gauquelin T, Baldy V online Climate change effects on litter decomposition: intensive drought leads to a strong decrease of litter mixture interactions - - *Plant and Soil*, 393(1-2) :69-82 doi: 10.1007/s11104-015-2471-z.

Savriama Y, Stige LC, Gerber S, Pérez T, Alibert P, David B 2015 Impact of sewage pollution on two species of sea urchins in the Mediterranean Sea (Cortiou, France): Radial asymmetry as a bioindicator of stress. *Ecological indicators* 54:39–47.

Trigos S, García-March J-R, Vicente N, Tena J, Torres J online Respiration rates of the fan mussel *Pinna nobilis* at different temperatures. *Journal of Molluscan Studies*, doi: 10.1093/mollus/eyu075.

Vieira C, Gaubert J, De Clerck O, Payri C, Culioli G, Thomas OP online Biological activities associated to the chemodiversity of the brown algae belonging to genus *Lobophora* (Dictyotales, Phaeophyceae). *Phytochemistry Rev*, doi: 10.1007/s11101-015-9445-x

2014

Cellier A, Gauquelin T, Baldy V, Ballini C 2014 Effect of organic amendment on soil fertility and plant nutrients in a post-fire Mediterranean ecosystem. *Plant Soil* 376(1-2):211-228, doi: 10.1007/s11104-013-1969-5.

Chomel M, DesRochers A, Baldy V, Larchevêque M, Gauquelin T 2014 Non-additive effects of mixing hybrid poplar and white spruce on aboveground and soil carbon storage in boreal plantations. *Forest Ecology and Management* 328:292–299, doi: 10.1016/j.foreco.2014.05.048.

Chomel M, Fernandez C, Bousquet-Mélou A, Gers C, Monnier Y, Santonja M, Gauquelin T, Gros R, Lecareux C, Baldy V 2014 Secondary metabolites of *Pinus halepensis* alter decomposer organisms and litter decomposition during afforestation of abandoned agricultural zones. *J Ecol* 102(2):411-424, doi: 10.1111/1365-2745.12205.

Genard-Zielinski A-C, Ormeño E, Boissard C, Fernandez C 2014 Isoprene emissions from downy oak under water limitation during an entire growing season: what cost for growth? *PLoS ONE* 9(11):e112418, doi: 10.1371/journal.pone.0112418.

Greff S, Zubia M, Genta-Jouve G, Massi L, Perez T, Thomas OP 2014 Mahorones, highly brominated cyclopentenones from the red alga *Asparagopsis taxiformis*. *J Nat Prod* 77(5):1150-1155, doi: 10.1021/np401094h.

Gentner D.R. Ormeño E., Fares S., Ford T.B, Park J.P., Brioude J., Angevine W, Karlik J.F, Goldstein A.H. Emissions of biogenic gas-phase organic carbon from agriculture and their implications for air quality. *Atmospheric Chemistry and Physics* 2014. 14, 5393-5413.

Kalogridis C, Gros V, Sarda-Esteve R, Langford B, Loubet B, Bonsang B, Bonnaire N, Nemitz E, Genard A-C, Boissard C, Fernandez C, Ormeño E, Baisnée D, Reiter I, Lathièrre J 2014 Concentrations and fluxes of isoprene and oxygenated VOCs at a French Mediterranean oak forest. *Atmos Chem Phys* 14:10085-10102, doi: 10.5194/acp-14-10085-2014.

Personnic S, Boudouresque CF, Astruch P, Ballesteros E, Blouet S, Bellan-Santini D, Bonhomme P, Thibault-Botha D, Feunteun E, Harmelin-Vivien M, Pergent G, Pergent-Martini C, Pastor J, J-C Poggiale, Renaud F, Thibaut T, Ruitton S online An ecosystem-based approach to assess the status of a Mediterranean ecosystem, the *Posidonia oceanica* seagrass meadow. *PLoS ONE* doi: 10.1371/journal.pone.0098994.

Rastorgueff PA, Chevaldonné P, Arslan D, Verna C, Lejeusne C 2014 Cryptic habitats and cryptic diversity: unexpected patterns of connectivity and phylogeographic breaks in a Mediterranean endemic marine cave mysid. *Molecular Ecology* 23(11):2825-2843, doi: 10.1111/mec.12776.

Trigos S, Garcia-March JR, Vicente N, Tena J, Torres J 2014 Utilization of muddy detritus as organic matter source by the fan mussel *Pinna nobilis*. *Medit Mar Sci* 15(3):667-674, doi: 10.12681/mms.836

2013

Aït Saïd S, Torre F, Derridj A, Gauquelin T, Mevy JP 2013 Gender, Mediterranean drought and seasonality: photosystem II photochemistry in *Pistacia lentiscus* L. *Photosynthetica* 51 (4):552-564, doi: 10.1007/s11099-013-0055-9.

Audoin C, Bonhomme D, Ivanišević J, De la Cruz M, Cautain B, Monteiro MC, Reyes F, Rios L, Pérez T, Thomas OP 2013 Balibalosides, an original family of glycosylated sesterterpenes produced by the Mediterranean sponge *Oscarella balibaloï*. *Marine Drugs* 11(5):1477-1489, doi: 10.3390/md11051477.

Borda E, Kudenov JD, Chevaldonné P, Blake JA, Desbruyères D, Fabri MC, Hourdez S, Pleijel F, Shank TM, Wilson NG, Schulze A, Rouse GW 2013 Cryptic species of Archinome (Annelida: Amphinomida) from vents and seeps. *Proc Royal Soc B* 280(1770):20131876, doi: 10.1098/rspb.2013.1876.

Boury-Esnault N, Lavrov D, Ruiz C, Pérez T 2013 The integrative taxonomic approach applied to *Porifera*: a case-study of the *Homoscleromorpha*. *Integr & Comparat Biol* 53(3):416-427, doi: 10.1093/icb/ict042.

Ereskovsky AV, Dubois M, Ivanišević J, Gazave E, Lapebie P, Tokina D, Pérez T 2013 Pluri-annual study of the reproduction of two Mediterranean *Oscarella* species (*Porifera*, *Homoscleromorpha*): cycle, sex-ratio, reproductive effort and phenology. *Marine Biol* 160(2):423-438, doi: 10.1007/s00227-012-2100-9.

Fernandez C, Santonja M, Gros R, Monnier Y, Chomel M, Baldy V, Bousquet-Mélou A 2013 Allelochemicals of *Pinus halepensis* as drivers of biodiversity in Mediterranean open mosaic habitats during the colonization stage of secondary succession. *J Chem Ecol* 39(2):298-311, doi: 10.1007/s10886-013-0239-6.

Garrido M, Lafabrie C, Torre F, Fernandez C, Pasqualini V 2013 Resilience and stability of *Cymodocea nodosa* seagrass meadows over the last four decades in a Mediterranean lagoon. *Est Coast Shelf Sci* 130: 89-98, doi: 10.1016/j.ecss.2013.05.035.

Gérard K, Guilloton E, Arnaud-Haond S, Aurelle D, Bastrop R, Chevaldonné P, Derycke S, Hanel R, Lapègue S, Lejeune C, Mousset S, Ramšak A, Remerie T, Viard F, Féral J-P, Chenuil A 2013. PCR survey of 50 introns in animals: cross-amplification of homologous EPIC loci in eight non-bilaterian, protostome and deuterostome phyla. *Marine Genomics* 12:1-8, doi: 10.1016/j.margen.2013.10.001.

Janssen A, Chevaldonné P, Martinez-Arbizu 2013 The meiobenthic copepod fauna of a marine cave (3PP cave, NW Mediterranean) closely resembles that of deep-sea communities. *Marine Ecol Progr Ser* 479:99-113, doi: 10.3354/meps10207.

Lavoir AV, Ormeño E, Pasqualini V, Ferrat L, Greff S, Lecareux C, Vila B, Mevy JP, Fernandez C 2013 Does prescribed burning affects the secondary metabolism of established stand trees of Mediterranean pines? *J Chem Ecol* 39(3):398-412, doi: 10.1007/s10886-013-0256-5.

Monnier Y, Bousquet-Mélou A, Vila B, Prevosto B, Fernandez C 2013 How nutrient availability influences acclimation to shade of two (pioneer and late-successional) Mediterranean tree species? *Eur J Forest Res* 132(2):325-333, doi: 10.1007/s10342-012-0677-7.

San Roman Sanz A, Fernandez C, Mouillot F, Ferrat L, Istria D, Pasqualini V 2013 Long-term forest dynamics and land-use abandonment in the Mediterranean mountains (Corsica, France). *Ecol Soc* 18(2):38, doi: 10.5751/ES-05556-180238.

Stiller J, Rousset V, Pleijel F, Chevaldonné P, Vrijenhoek RC, Rouse GW 2013 Phylogeny, biogeography and systematics of hydrothermal vent and methane seep *Amphisamytha* (*Ampharetidae*, *Annelida*), with descriptions of three new species. *Syst Biodiv* 11(1):35-65, doi: 10.1080/14772000.2013.772925.

Tahiri H, Otto T, Eddouks M, Revel J-C, Jalut G, Alifriqui M, Gauquelin T, Hafidi M 2013 Étude pédo-anthracologique dans la région de Toufliht (Haut Atlas Marocain) : Mise en évidence d'un paléo-incendie et d'un changement de la couverture forestière vers 4500 – 4000 BP (5300 – 4200 cal. BP). *La Terre et la Vie* 68(3):231-242.

Zarrouk S, Ereskovsky AV, Ben Mustapha K, El Abed A, Pérez T 2013 Sexual reproduction of *Hippospongia communis* (Lamarck, 1814) (*Dictyoceratida*, *Demospongiae*): comparison of two populations living under contrasted environmental conditions. *Marine Ecol Evol Persp* 34 (4):432–442, doi: 10.1111/maec.12043

2012

Auclerc A, Nahmani J, Aran D, Baldy V, Callot H, Gers C, Iorio E, Lapied E, Lassauce A, Pasquet A, Spelda J, Rossi J-P, Guérol F 2012 Changes in soil macroinvertebrate communities following liming of acidified forested catchments in the Vosges Mountains (North-eastern France). *Ecol Engin* 42:260-269, doi: 10.1016/j.ecoleng.2012.02.024.

Borda E, Kudenov JD, Blake JA, Alvarad J, Chevaldonné P, Desbruyères D, Fabri MC, Hourdez S, Pleijel F, Schulz A, Shank TM, Rouse GW 2012 Cryptic species of *Archinome* (*Annelida: Amphinomida*) from hydrothermal vents and cold seeps. Society for Integrative & Comparative Biology, Annual Meeting, Charleston, SC, USA, 3-7 January 2012. *Integr Comparative Biology* 52 (Suppl. 1): E17.

Cardenas P, Pérez T, Boury-Esnault N 2012 Sponge systematics facing new challenges. *Adv Marine Biol* 61:79-209, doi: 10.1016/B978-0-12-387787-1.00010-6.

Cellier A, Francou C, Houot S, Ballini C, Gauquelin T, Baldy V 2012 Use of urban composts for the regeneration of a burnt Mediterranean soil. *J Env Mgmt* 95:S238-S244, doi: 10.1016/j.jenvman.2010.10.042.

Dauvin J-C, Alizier A, Rolet C, Bakalem A, Bellan G, Gomez Gesteira JL, Grimes S, De la Ossa-C JA, Del Pilar Ruso Y, R 2012 Response of different benthic indices to diverse human pressures. *Ecol Indic* 12:143–153, doi: 10.1016/j.ecolind.2011.03.019.

Fares S, Park JH, Gentner DR, Weber R, Ormeno E, Karlik J, Goldstein AH 2012 Seasonal cycles of biogenic volatile organic compound fluxes and concentrations in a California citrus orchard. *Atmosph Chem Phys* 12:9865-9880, doi: 10.5194/acp-12-9865-2012.

Fernandez C, Ferrat L, Pergent G, Pasqualini V 2012 Sea urchin-seagrasses interactions: trophic links in a benthic ecosystem from a coastal lagoon. *Hydrobiol* 699(1):21-33, doi: 10.1007/s10750-012-1151-8.

Korboulesky N, Wang R, Baldy V 2012 Purification processes involved in sludge treatment by a vertical flow wetland system: focus on the role of the substrate and plants on N and P removal. *Biores Technol* 105:9-14, doi: 10.1016/j.biortech.2011.11.037.

Mevy JP, Bessiere JM, Dherbomez M 2012 Composition, antimicrobial and antioxidant activities of the volatile oil of *Chrysanthellum americanum* (Linn.) Vatke. *J Ess Oil Bearing Pl* 15(3):489–496, doi: 10.1080/0972060X.2012.10644077.

Monnier Y, Prevosto B, Ripert C, Corbani A, Fernandez C 2012 Forest microhabitats differentially influence seedlings phenology of two co-existing Mediterranean oak species. *J Veg Sci* 23(2):260-270, doi: 10.1111/j.1654-1103.2011.01358.x.

Poupin J, Corbari L, Pérez T, Chevaldonné P 2012 Deep-water decapod crustaceans studied with a remotely operated vehicle (ROV) in the Marquesas Islands, French Polynesia (*Crustacea: Decapoda*). *Zootaxa* 3550:43-60
Prévosto B, Monnier Y, Rippert C, Fernandez C 2012 To what extent do time, species identity and selected plant response variables influence woody plant interactions? *J Appl Ecol* 49(6):1344–1355, doi: 10.1111/jpe.12000.

Reveillaud J, Allewaert C, Pérez T, Vacelet J, Banaigs B, Vanreusel A 2012 Relevance of an integrative approach for taxonomic revision in sponge taxa: Case study of the shallow-water Atlanto-Mediterranean *Hexadella* (*Porifera, Ianthellidae, Verongida*). *Invertebr System* 26 (3):230-248, doi: 10.1071/IS11044.

Rizvi SH, Gauquelin T, Gers C, Guerold F, Pagnout C, Baldy V 2012 Calcium-magnesium liming of acidified forested catchments: effects on humus morphology and functioning. *Appl Soil Ecol* 62:81-87, doi: 10.1016/j.apsoil.2012.07.014.

Schmitt S, Tsai P, Bell J, Fromont J, Ilan M, Lindquist N, Pérez T, Rodrigo A, Schupp PJ, Vacelet J, Webster N, Hentschel U, Taylor MW 2012 Assessing the complex sponge microbiota: core, variable and species-specific bacterial communities in marine sponges. *ISME Journal* 6:564-576, doi: 10.1038/ismej.2011.116.

Wang R, Baldy V, Périssol C, Korboulesky N 2012 Influence of plants on microbial activity in a vertical-downflow wetland system treating waste activated sludge with high organic matter concentration. *J Env Mgmt* 95S:S158-S164, doi: 10.1016/j.jenvman.2011.03.021

2011

Ait Said S, Fernandez C, Greff S, Derridj A, Gauquelin T, Mevy JP 2011 Inter-population variability of leaf morpho-anatomical and terpenoid patterns of *Pistacia atlantica* desf. ssp. *atlantica* growing along an aridity gradient in Algeria. *Flora* 206 (4) : 397–405.

Ait Said S, Fernandez C, Greff S, Torre F, Derridj A, Gauquelin T and Mevy JP 2011 Chemoecological variability of terpenoid composition in leaves of *Pistacia lentiscus* L. from increasing altitude conditions *Molecules* 16(3): 2646-2657.

Fabi G, Spagnolo A, Bellan-Santini D, Charbonnel E, Cicek BA, Goutayer-Garcia JJ, Jensen AC, Kallianiotis A, Das Santos MN 2011 Overview on artificial reefs in Europe. *Braz J Oceanogr Brazilian Journal of Oceanography* 59 (special issue CARAH) : 155-166.

Fares S, Gentner DR, Park JH, Ormeno E, Allen JK and Goldstein H 2011 Biogenic emissions from Citrus species in California *Atmos Environ*, 45 (27): 4557–4568.

Genta-Jouve G, Francezon N, Puissant A, Auberger P, Vacelet J, Pérez T, Fontana A, Thomas OP 2011 Structure elucidation of the new citharoxazole from the Mediterranean Deep-Sea Sponge *Latrunculia (Biannulata) citharistae*. *Magn Reson Chem* 49(8): 533–53.

Ivanisevic J, Pérez T, Barnathan G, Thomas OP 2011 Lysophospholipids in the Mediterranean sponge *Oscarella tuberculata* : seasonal variability and putative biological role. *J Chem Ecol* 37(5): 537-545.

Ivanisevic J, Thomas OP, Pedel L, Penez N, Ereskovsky AV, Culioli G, Pérez T 2011 Biochemical trade-offs: evidence for ecologically linked secondary metabolism of the sponge *Oscarella balibaloï*. *PLOS One* 6 (11) doi:10.1371/journal.pone.0028059.g0.

Ivanisevic J, Thomas OP, Lejeusne C, Chevalloné P, Pérez T 2011 Metabolic fingerprinting as an indicator of biodiversity: towards understanding inter-specific relationships among Homoscleromorpha sponges. *Metabolomics* 7: 289–304.

Monnier Y, Vila B, Montes N, Prevosto B, Bousquet-Mélou A, Fernandez C 2011 Fertility and allelopathy modify Aleppo pine crown acclimation to shade. *Tree-Struct Funct.* 25:497–507.

Olivier R, Lavoit AV, Ormeño E, Greff S, Staudt M, Fernandez C 2011 Compost spreading in Mediterranean shrubland indirectly increases biogenic emissions by promoting growth of VOC-emitting plant parts. *Atmos Environ*. 45 : 3631-3639.

Olivier R, Staudt M, Lavoit AV, Ormeño E, Rizvi H, Baldy V, Rivoal A, Greff S, Lecareux C, Fernandez C 2011 Direct and indirect impact of sewage sludge compost spreading on *Quercus coccifera* monoterpene emissions in a Mediterranean shrubland. *Environl Pollut.* 159 (4): 963-969. doi:10.1016/j.envpol.2010.12.003.

Ormeño E, Niinemets AG 2011 Extracting and trapping biogenic volatile organic compounds stored in plant species. *TRAC-Trend Anal Chem* 30 (7): 978–989

Penez N, Culioli G, Pérez T, Briand JF, Thomas OP, Blache Y. 2011. Antifouling Properties of Simple Indole and Purine Alkaloids from the Mediterranean Gorgonian *Paramuricea clavata*. *J Nat Prod* 74, 2304–2308.

Pérez T, Ivanisevic J, Dubois M, Pedel L, Thomas OP, Tokina D, Ereskovsky AV 2011 *Oscarella balibaloï*, a new sponge species (Homoscleromorpha: Plakinidae) from the Western Mediterranean Sea: cytological description, reproductive cycle and ecology. *Marine Ecol* 32(2): 174–187.

Prevosto B, Bousquet-Mélou A, Ripert C, Fernandez C 2011 Effects of different silvicultural treatments on vegetation composition and diversity in *Pinus halepensis* woodlands. *Plant Ecol* 212: 627–638.

Prévosto B, Monnier Y, Ripert C, Fernandez C 2011 Diversification of Aleppo pine forests by sowing *Quercus ilex* and *Quercus pubescens* acorns: testing the effects of different vegetation and soil treatments. *European Journal of Forest Research*. 130 (1): 67-76.

Prévosto B, Monnier Y, Ripert C, Fernandez C 2011 Can we use shelterwoods in Mediterranean pine forests to promote oak seedling development? *Forest Ecol and Manag* 262 (8): 1426-1433.

Rastorgueff PA, Harmelin-Vivien M, Richard P, Chevaldonné P 2011 Feeding strategies and resource partitioning mitigate the effects of oligotrophy for marine cave mysids. *Mar Ecol-Prog Ser* 440: 163-176.

Rivoal A, Fernandez C, Greff S, Montes N, Vila B 2011. Does competition stress decrease allelopathic potential? *Biochem Syst Ecol*. 39 (4-6): 401-407.

The Mermex Group 2011. Marine Ecosystem responses to climatic and anthropogenic forcings in the Mediterranean Sea. *Progr Oceanogr* 91(2): 97-16

Non indexées

2016

Knittweis L, Chevaldonné P, Ereskovsky A, Schembri PJ, Borg JA 2015 A preliminary survey of marine cave habitats in the Maltese Islands. *Xjenza Online - Journal of The Malta Chamber of Scientists*. 3:153:164, doi: 10.7423/XJENZA.2015.2.07

Knittweis L, Chevaldonné P, Ereskovsky A, Schembri PJ, Borg JA 2015 A preliminary survey of marine cave habitats in the Maltese Islands. *Xjenza Online - Journal of The Malta Chamber of Scientists*. 3:153:164, doi: 10.7423/XJENZA.2015.2.07

2015

Knittweis L, Chevaldonné P, Ereskovsky A, Schembri PJ, Borg JA 2015 A preliminary survey of marine cave habitats in the Maltese Islands. *Xjenza Online - Journal of The Malta Chamber of Scientists*. 3:153:164, doi: 10.7423/XJENZA.2015.2.07

2014

Rizvi SHH, Gauquelin T, Gers C, Baldy V 2014 Short-term changes in humus fungal biomass, mesofauna and CO2 efflux following liming in a microcosm experiment. *J Earth Sci Clim Change* 5:208, doi: 10.4172/2157-7617.1000208

2013

Bellan-Santini D 2013 La Direttiva quadro per la Strategia Marina (2008/56/ce. L'approccio francese. *Biologia Marina Mediterranea* 20(1):2-5

Gauquelin T., Dutoit T. 2013. : Actes du IVe Colloque international sur le Genévrier thurifère. 5-8 octobre 2011, Mont-Dauphin et Saint-Crépin (Hautes-Alpes, France). *Ecologia mediterranea* n°39. Fascicule 1. 218p.

Harmelin J-G, Vacelet J, Vicente N 2013 Premières évaluations du patrimoine sous-marin du Parc national de Port-Cros (France-Méditerranée): les campagnes Poséidon. *Sci Rep Port-Cros natl Park* 27:119-128.

Sanguin H, Khouli S, Zarik L, Gryta H, Boumezzough A, Ouahmane L, Hafidi M, Ouhammou A, Prin Y, Dreyfus B, Cambecèdes J, Miché L, Gauquelin T, Duponnois R 2013 Rôles potentiels de la symbiose mycorhizienne dans la conservation des populations méditerranéennes de Genévrier thurifère (*Juniperus thurifera* L.). *Ecologia Mediterranea* 39(1):99-107.

Vicente N 2013 Philippe Tailliez, de la Marine nationale au parc national de Port-Cros. *Sci.Rep.Port-Cros natl.Park* 27 :109-118

2012

Gauquelin T., Chondroyannis P., Boukhoud N., Bouyssou M., Brunel C., Danneyrolles V., Delforge Q., Guiraud M., Marchand C., Mathaux C., Orighoni H., Quent M., Sbeiti A., Sinet R. 2012 Le Genévrier thurifère, espèce partagée au Nord et au Sud de la Méditerranée. *Forêt méditerranéenne* XXXIII, n°3.

Dubois M, Bellan-Santini D, Bentahar I, Chevaldonné P, Pérez T Vacelet J, Bellan G 2012 Artificial reefs deployed in the Bay of Marseille (northwestern Mediterranean Sea): originality and first benthic faunal stages. *Biol Mar Medit* 19(1):200-201.

Hilaire C., Orts JP, Boer M, Gauquelin T. 2012. Le domaine de l'Observatoire de Haute-Provence (OHP) : hermas et chénaie pubescente, du XVIIIe siècle à nos jours *Courr. Sci. Parc Nat. Rég. Lubéron*, 11 :8-21.

2011

Belhadj S, Derridj A, Moriana A, Gijon M, Mevy JP, Gauquelin T 2011 Comparative analysis of stomatal characters in eight wild atlas pistachio populations (*Pistacia atlantica* Desf.; Anacardiaceae) *International Research Journal of Plant Science* (ISSN: 2141-5447) Vol. 2(3): 060-069.

Leguedois S, Party JP, Dupouey JL, Gauquelin T, Gegout JC, Lecareux C, Badeau V, and Probst A 2011 « La carte de végétation du CNRS à l'ère du numérique », *Cybergeo : European Journal of Geography*: <http://cybergeo.revues.org/2468>.

Gauquelin T., Boer M., Baldy V., Fernandez C., Montes N., Santonja M., Orts J-P, Reiter I. (2011). L'O3HP, Oak Observatory at OHP, un site expérimental pour l'étude du fonctionnement et de la biodiversité de la chênaie pubescente face aux changements climatiques. *Forêt Méditerranéenne*, XXXII (2) : 127-132.

Vulgarisation scientifique, prospectives, chapitre d'ouvrage, ouvrage

2016

Chevaldonné P, Pérez T 2016 Ecosystèmes profonds des îles Marquises : premières observations visuelles. In: Biodiversité terrestre et marine des îles Marquises, Polynésie française (Galzin R, Duron S-D, Meyer J-Y, eds), Société Française d'Ichtyologie, Paris : 189-206.

Fernandez C, Baldy V, Lebris N, 2016 From chemical ecology to ecogeochemistry. In: Chemical Ecology: New advances, (Bagnères A.G. & Hossaert M., eds) Wiley pub, Paris.

Pérez T, Albenga L, Starmer J, Chevaldonné P 2016 Biodiversité des grottes sous-marines des Marquises: un patrimoine naturel caché et méconnu. In : Biodiversité terrestre et marine des îles Marquises, Polynésie française (Galzin R, Duron S-D, Meyer J-Y, eds), Société Française d'Ichtyologie, Paris : 287-310.

Schatz B, Mckey D, Pérez T 2016 Biodiversity and chemical mediation. In: Chemical Ecology: New advances, (Bagnères A.G. & Hossaert M., eds) Wiley pub Paris.

2015

Mathaux C, Mandin JP, Edouard JL, Gauquelin T, Guibal F in press *Juniperus phoenicea* growing on cliffs: dendrochronology and wiggle-matching applied to the oldest trees in France. TRACE Dendrosymposium 2014, Aviemore, Scottish Highlands, United Kingdom: Vol. 10.

Pérez T in press Ecologie chimique marine, un langage à l'étude. In : David B, Ozouf C, Trousselier M, Eds « *Mondes marins : Voyages insolites au cœur des océans* ». Cherche-Midi, Paris.

Pergent G, Aguilar R, Ballesteros E, Bazairi H, Bianchi CN, Bitar G, Borg J, Chevaldonné P, Daniel B, Gerovasileiou V, Harmelin JG, Mastrototaro F, Ouerghi A, Pérez T, Pergent-Martini C, Sartoretto S, Schembri P, Tilot V, Tunesi L, Vacelet J 2015 Action Plan for the conservation of habitats and species associated with seamounts, underwater caves and canyons, aphotic hard beds and chemo-synthetic phenomena in the Mediterranean Sea. Dark Habitats Action Plan. UNEP / MAP / RAC/SPA, 17pp.

Probst A, Obeidy C, Gaudio N, Belyazid S, Gégout J-C, Alard D, Corket E, Party J-P, Gauquelin T, Mansat A, Nihlgård B, Leguédois S, Sverdrup HU 2015 Evaluation of Plant Responses to Atmospheric Nitrogen Deposition in France Using Integrated Soil-Vegetation Models. In: de Vries W, Hetteling J-P, Posch M (eds.) *Critical Loads and Dynamic Risk Assessments, Environmental Pollution*, Springer, doi: 10.1007/978-94-017-9508-1_13, pp. 359-379.

2014

Ruitton S, Personnic S, Ballesteros E, Bellan-Santini D, Boudouresque CF, Chevaldonné P, Bianchi CN, David R, Féral JP, Guidetti P, Harmelin JG, Montefalcone M, Morri C, Pergent G, Pergent-Martini C, Sartoretto S, Tanoue H, Thibaut T, Vacelet J, Verlaque M 2014 An ecosystem-based approach to assess the status of the mediterranean coralligenous habitat. Proceedings of the 2nd Mediterranean Symposium on the conservation of Coralligenous & other Calcareous Bio-Concretions (Portorož, Slovenia, 29-30 October 2014).

Bouafif C, Langar H, Ouerghi A (eds.), RAC/SPA publ., Tunis : 153-158

Vicente N 2014 L'environnement marin de Méditerranée. In: Journées-Débats – "Marseille & la Méditerranée". 26-27 septembre 2013 à Marseille, France, Mém. Institut océanogr. Paul Ricard, pp : 83-93

2013

Thiébaud S, Hadi H (Eds) 2013 Prospective de l'Institut écologie et environnement du CNRS. Compte-rendu des journées des 24 et 25 octobre 2012, Avignon. Les Cahiers Prospectives, CNRS, Paris, 240 p.

Viard F, Chevaldonné P, Comtet T, Thiébaud E, Trousselier M 2013 Rester connecté : un parcours semé d'embûches et de hasards. In : David B, Ozouf-Costaz C, Trousselier M (Eds.) Mondes marins : Voyages insolites au cœur des océans. Cherche-Midi, Paris : 76-93.

2012

Michez N., Fourt M., Aish A., Bellan G., Bellan-Santini D., Chevaldonné P., Fabri M.-C., Goujard A., Harmelin J.-G., Labrune C., Pergent G., Sartoretto S., Vacelet J., Verlaque M., 2014. Typologie des biocénoses benthiques de Méditerranée Version 2. Rapport SPN 2014 - 33, MNHN, Paris, Pp. 24.

Pérez T 2012 Une taxonomie intégrative grâce à l'écologie chimique. In: Hossaert-McKey M, Bagnères AG (eds). Ecologie Chimique, le Langage de la Nature, Le Cherche Midi, Paris, pp. 20-21.

Pérez T, Baldy V, Fernandez C 2012 L'écologie chimique dans un monde en mutation In: Hossaert-McKey M, Bagnères AG (eds). Ecologie Chimique, le Langage de la Nature, Le Cherche Midi, Paris, pp. 152-170.

2011

Chevaldonné P, Vacelet J 2011 Les nouvelles dents de la mer : les éponges carnivores réservent bien des surprises aux scientifiques. Journal du CNRS 257 (juin 2011): 11.